

INSPIRATION STORY

灵感·物語

MOMO[®]tile



ABOUT MOMO

Choose with confidence
MOMO creates spaces with true texture



MOMO represents a way of life that stems from our passion for aesthetics, combined with our constant exploration and desire for a simpler, more environmentally friendly way of life. The brand was created to share our values of design and creativity and our love of nature, sustainability and the idea of slow living.

Our vision is to create high quality products with timeless thoughtfulness and dedication, using the best materials to achieve a natural, vivid and subtle feeling, so as to express itself in a space relevant to life.


It's a pleasure to share with you our designs and our ideas for slower, more mindful everyday life.

——MOMO, originated from China's original design.

Porcelain Tile



LIME STONE SERIES




Color



Prouduct Parameters

						
Size	Technology	Surface	Faces	m²/Pieces	Pieces/Box	Weight/Kg
600x1200x10mm	Steel Mold Digital Mold	Matt	8	0.72	2	35
750x1500x10mm	Steel Mold Granule Semi-polished	Matt	6	1.125	2	53
900x1800x12mm	Steel Mold Digital Mold	Matt	6	1.62	1	46

SALT STONE SERIES




Color



Prouduct Parameters

						
Size	Technology	Surface	Faces	m²/Pieces	Pieces/Box	Weight/Kg
600x1200x10mm	Mold Relief Glaze	Matt	12	0.72	2	35
750x1500x10mm	Mold Relief Glaze	Matt	8	1.125	2	53
900x1800x12mm	Mold Relief Glaze	Matt	6	1.62	1	46

SCARBOROUGH SERIES



Color



BM61 / 高地白



BM62 / 旷野米



BM71



BM72



BM91




BM92

Prouduct Parameters

						
Size	Technology	Surface	Faces	m²/Pieces	Pieces/Box	Weight/Kg
600x1200x10mm	Mold Relief Glaze	Matt	12	0.72	2	35
750x1500x10mm	Mold Relief Glaze	Matt	8	1.125	2	53
900x1800x12mm	Mold Relief Glaze	Matt	6	1.62	1	46

PORTLAND SERIES



Color



PS61



PS62



PS63



PS671



PS72



PS73



PS91



PS92




PS93


Prouduct Parameters

						
Size	Technology	Surface	Faces	m²/Pieces	Pieces/Box	Weight/Kg
600x1200x10mm	Mold Antique Style	Matt	14	0.72	2	35
750x1500x10mm	Mold Antique Style	Matt	8	1.125	2	53
900x1800x12mm	Mold Antique Style	Matt	6	1.62	1	46

METEORITE SERIES



Color




SS61 / 星砂米
(一砖6面)



MS61 / 陨砂白
(一砖10面)



SS65 / 陨砂棕
(一砖6面)



MS65 / 陨铁岩
(一砖10面)




MS95 / 陨铁岩
(一砖6面)

Prouduct Parameters

						
Size	Technology	Surface	Faces	m²/Pieces	Pieces/Box	Weight/Kg
600x1200x10mm	Full Digital Mold	Matt	10/6	0.72	2	35
900x1800x12mm	Full Digital Mold	Matt	6	1.62	1	46

RIVERS AND MOUNTAINS SERIES



Color




BS68



MS88




BX98



Prouduct Parameters

						
Size	Technology	Surface	Faces	m²/Pieces	Pieces/Box	Weight/Kg
600x1200mm	Glue Granule Digital Mold	Matt	12	0.72	2	33.5
900x1800mm	Glue Granule Digital Mold	Matt	6	1.62	1	38

AURORA SERIES



Color



AS61



AS62



AS71




AS72

Prouduct Parameters

						
Size	Technology	Surface	Faces	m²/Pieces	Pieces/Box	Weight/Kg
600x1200x10mm	Mold Relief Glaze	Matt	8	0.72	2	33.5
750x1500x10mm	Mold Relief Glaze	Matt	8	1.125	2	53

ROCK SERIES



Color



RS60




RS70

Prouduct Parameters

						
Size	Technology	Surface	Faces	m²/Pieces	Pieces/Box	Weight/Kg
600x1200x10mm	Mold Relief Glaze	Matt	11	0.72	2	33.5
750x1500x10mm	Mold Relief Glaze	Matt	6	1.125	2	53

DORSET SERIES



600x1200mm

Color



DS61 / 云层




DS62 / 沙层

Prouduct Parameters

						
Size	Technology	Surface	Faces	m²/Pieces	Pieces/Box	Weight/Kg
600x1200mm	Mold Antique Style Fine Engraving	Matt	12	0.72	2	35

TRARGE SERIES



600x1200mm

Color



TS61 / 云洞




TS62 / 沙洞

Prouduct Parameters

						
Size	Technology	Surface	Faces	m²/Pieces	Pieces/Box	Weight/Kg
600x1200mm	Mold Antique Style Fine Engraving	Matt	12	0.72	2	35

MATERA SERIES

岩生系列



600x1200mm

Color



MY61 / 素砂




MY63 / 岩棕

Prouduct Parameters

						
Size	Technology	Surface	Faces	m²/Pieces	Pieces/Box	Weight/Kg
600x1200mm	Steel Mold Digital Mold	Matt	12	0.72	2	35

CANDY GRAIN SERIES

云息系列




600x1200mm

Color



CG60 / 浅砂




CG61 / 墨岩

Prouduct Parameters

						
Size	Technology	Surface	Faces	m²/Pieces	Pieces/Box	Weight/Kg
600x1200mm	Sugar Granule	Glossy	12	0.72	2	35

WEAVE SERIES



600x1200mm


Color



WO60



WO68




WO69

Proudct Parameters

						
Size	Technology	Surface	Faces	m²/Pieces	Pieces/Box	Weight/Kg
600x1200mm	Digital Mold Glue Granule Steel Mold	Matt	12	0.72	2	35

SANDRIFT SERIES



600x1200mm

Color



SR62




SR66

Proudct Parameters

						
Size	Technology	Surface	Faces	m²/Pieces	Pieces/Box	Weight/Kg
600x1200mm	Steel Mold Granule	Matt	12	0.72	2	35

ROSEMARY SERIES



600x1200mm

Color



TB00



YA01E



YA02



YA02E




YA03



YA03E



TB-S7



TB-S8




TB-S9

Prouduct Parameters

						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
600x1200mm	Micro-cement Digital Mold	Matt	6	1.388	2	33.5

PLANT DESCRIPTION SERIES



600x1200mm

Color



ZX66
Faces : 4



ZX77
Precision Engraving
Antique Style



ZX88
Precision Engraving
Antique Style




ZX99
Precision Engraving
Antique Style

Prouduct Parameters


						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
600x1200mm	Full Digital Mold Precision Engraving Antique Style	Matt	1	1.388	2	33.5

EXPLORE SERIES




600x1200mm

Color




K7



K9



KF79




FM68

Prouduct Parameters

						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
600x1200mm	Glue Granule Digital Mold	Matt	6	1.388	2	33.5

LI SERIES



600x1200mm

Color



GM31




GM33

Prouduct Parameters

						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
600x1200mm	Ink-jet Printing Ultra-fine Granule	Matt	4	1.388	2	33.5

RIPPLE SERIES



600x1200mm

Color



GG02




GG03



GG09



GG01



GG05



LG22



LG23



LG29



LG21



LG25




LG28

Prouduct Parameters

						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
600x1200mm	High-transparency Glaze	Matt	4	1.388	2	33.5

DAPHINS SERIES



600x1200mm

Color



DA01




DA02



DA03



DA04



DA06



DA09



DF35
Fine Engraving
Monet Granule




DF39
Fine Engraving
Monet Granule

Prouduct Parameters

						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
600x1200mm	Molded Surface Monet Granule	Matt	6	1.388	2	33.5

HANG SERIES



600x1200mm

Color



HT01



HT03



HT05



HT06

Prouduct Parameters


Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
600x1200mm	Dotted Granule Brushed Surface	Matt	1	1.388	2	33.5

GAP LIGHT COLLECTION SERIES




600x600mm

Color




BG02



BG03



BG05



BG09

Product Parameters


Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
600x600mm	Ink-jet Printing R9 Granule Molded	Matt	5	2.8	4	31.5

MARRAKECH SERIES




600x600mm

Color



KS01



KS02




KS33



KS55



KS77




KS99

Prouduct Parameters

						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
600x600mm	Screen Printing	Matt	Natural Finish	2.778	4	32

VITAE SERIES




400x1200mm


Color




OB33




OB35




OB59



OL20



OL26



OL27



OB33U



OB35U



OB59U



OL20U



OL26U




OL22U



OF41
精雕 + 模具



OF42
精雕 + 模具



OF43
精雕 + 模具



OF49
精雕 + 模具


Prouduct Parameters

						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
400x1200mm	Matte Molded Surface	Matt	1	2.08	3	34



French Collection

PATINA SERIES



200x1200mm

Color



PW71




PW72



PW73



PW75




PW77

Prouduct Parameters

						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
200x1200mm	Full Digital Mold	Matt	48	4.167	5	29

YOYO SERIES 2.0



200x1200mm

Color



YY201



YY202



YY203



YY205



YY209



YL211



YL212




YL213

Prouduct Parameters

						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
200x1200mm	Ink-jet Molded Surface	Matt	24	4.167	5	29

YE SERIES



Color



Prouduct Parameters

						
Size	Technology	Surface	Faces	m ² /Pieces	Pieces/Box	Weight/Kg
220x1800mm	Full Digital Mold	Matt	20	0.396	4	38
295x1800mm	Full Digital Mold	Matt	15	0.531	3	38
900x1800mm	Full Digital Mold	Matt	6	1.62	1	38

MARVLE SERIES




Color



Prouduct Parameters

						
Size	Technology	Surface	Faces	Pieces/m ²	Pieces/Box	Weight/Kg
80x480mm	Ink-jet Molded Surface	Matt	32	26	26	20.5

NAN SERIES



610x100mm

Color



NW61



NW62



NW63



NW66



NT31



NT32








NT33

Prouduct Parameters

Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
610x100mm	Molded Antique Style Fine Engraving	Matt	60	0.061	16	22.5



Installation Guidelines

- 1 . Adhesives : Always use professional-grade installation materials for fully vitrified porcelain products.
- 2 . Application : Suitable for both wall and floor applications.
- 3 . Joint Spacing : We highly recommend C2-grade tile adhesive . For wall installations, professional tile adhesive is mandatory. A joint spacing of 3–5mm must be maintained.
Note: Tight-joint (groutless) installation is strictly prohibited, as thermal expansion and contraction can lead to hollowing and detachment.
- 4 . Grouting : Grouting or caulging is required for joint finishing.



KAZE SERIES

Color





Prouduct Parameters


						
Size	Technology	Surface	Faces	m ² /Box	Pieces/Box	Weight/Kg
360x313mm	Antique Style Fine Engraving	Matt	48	1.13	10	27

Installation Guidelines

- Adhesives : Always use professional-grade installation materials for fully vitrified porcelain products.
- Application : Suitable for both wall and floor applications.
- Joint Spacing : We highly recommend C2-grade tile adhesive . For wall installations, professional tile adhesive is mandatory. A joint spacing of 3-5mm must be maintained.
Note: Tight-joint (groutless) installation is strictly prohibited, as thermal expansion and contraction can lead to hollowing and detachment.
- Grouting : Grouting or caulging is required for joint finishing.



MI SERIES



Color



KK22



KK23



KK25




KK26

Proudct Parameters

						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
248x500mm	Precision Engraving Micro Mold	Matt	36	8	10	27


VINTAGE TIMBER SERIES



Color




VT62



VT63



VT65



VT66

Proudct Parameters

						
Size	Technology	Surface	Faces	m²/Pieces	Pieces/Box	Weight/Kg
600x1200mm	Full Digital Mold	Matt	6	0.72	2	35

LINGMU SERIES

Color



FT01



FT03

Prouduct Parameters

						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
600x1200mm	Ultra-matte Molded Surface	Matt	4	1.388	2	33.5

YOYO SERIES 3.0

Color



YT02



YT03



YT05



YT06

Prouduct Parameters

						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
600x1200mm	Full Digital Mold	Matt	6	1.388	2	33.5

YOYO SERIES 1.0



600x600mm

Color



YF60



YF61




YF62




YF63




YF65



YF66



YF68



YF69




YG01



YG02



YG06



YG07

Proudct Parameters

						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
600x600mm	Ultra-matte Molded Surface	Mat	6	2.788	4	31

COLONNADE SERIES



400x1200mm


Color



MC12



MC13



MG56



OM31U



OM32U



OM36U


Proudct Parameters

						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
400x1200mm	Matte Molded Surface	Mat	1	2.08	3	34


French Pattern



VELORA TIME SERIES



Color



星脚砖





圆角砖




Installation Guidelines

- 1 . Adhesives : Always use professional-grade installation materials for fully vitrified porcelain products.
- 2 . Application : Suitable for both wall and floor applications.
- 3 . Joint Spacing : We highly recommend C2-grade tile adhesive . For wall installations, professional tile adhesive is mandatory. A joint spacing of 3–5mm must be maintained.
Note: Tight-joint (groutless) installation is strictly prohibited, as thermal expansion and contraction can lead to hollowing and detachment.
- 4 . Grouting : Grouting or caulging is required for joint finishing.




Prouduct Parameters

						
Size	Technology	Surface	Faces	m²/Box	Pieces/Box	Weight/Kg
165x330mm	Molded Antique Style Fine Engraving	Matt	60	0.98	18	21.5
330x330mm	Molded Antique Style Fine Engraving	Matt	36	0.98	9	22
330x500mm	Molded Antique Style Fine Engraving	Matt	24	0.99	6	22
500x500mm	Molded Antique Style Fine Engraving	Matt	16	1.25	5	28




YAO SERIES




Color



CR21




CR22



CR27




CR29




DU06


Faces : 42
Precision Engraving
Micro Mold



CR41




CR42



CR47



CR49



DU16


Faces : 33
Precision Engraving
Micro Mold



CR51



CR52



CR57



CR59



DU56

Faces : 18
Precision Engraving
Micro Mold




CR52F
Precision Engraving
Micro Mold



Faces : 8



CR59F
Precision Engraving
Micro Mold




Faces : 8

Prouduct Parameters


						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
248x248mm	Micro Mold	Matt	56	16.25	16	21.5
248x500mm	Micro Mold	Matt	28	8	10	27
500x500mm	Micro Mold	Matt	14	4	5	28

Installation Guidelines

- 1 . Adhesives : Always use professional-grade installation materials for fully vitrified porcelain products.
- 2 . Application : Suitable for both wall and floor applications.
- 3 . Joint Spacing : We highly recommend C2-grade tile adhesive . For wall installations, professional tile adhesive is mandatory. A joint spacing of 3–5mm must be maintained.
Note: Tight-joint (groutless) installation is strictly prohibited, as thermal expansion and contraction can lead to hollowing and detachment.
- 4 . Grouting : Grouting or caulging is required for joint finishing.



HEXI CORRIDOR SERIES



450x450mm

Color



HC42



HC43



HC44



HC45


Prouduct Parameters

Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
450x450mm	Roller Printing-Matte Surface	Matt	Natural Finish	6	6	25

Handmade Tile



KILN EMBER SERIES



Color



KE63



KE67




KE10 Glossy Glaze



KE16 Metallic Glaze



KE17 Unglazed



KE19 Glossy Glaze


Prouduct Parameters

						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
60x227x12mm	Wet Extrusion Process Metallic Glaze	Glossy	Natural Finish	66	50	18
100x100x12mm	Wet Extrusion Process Metallic Glaze Glossy Glaze/Unglazed	Glossy/Matt	Natural Finish	90	60	16

GLAZE VEIL SERIES



Color




GV00



GV01



GV08



GV09


Prouduct Parameters

						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
60x227x10mm	Wet Extrusion Process Glossy Glaze	Glossy	Natural Finish	66	60	18


KILN RAIN SERIES




Color




KR01 A/B



KR08 A/B



KR09 A/B



KR19 A/B

Important notes for wet extrusion process products:

Wet extrusion is a forming technique in which high-moisture ceramic clay bodies are continuously shaped via a vacuum auger extruder. Unlike conventional dry pressing (powder compaction), wet extrusion preserves the raw, plastic state of the clay, yielding products with unique density gradients and distinct surface textures. Because the clay is subjected to unidirectional auger thrust rather than multi-directional high-pressure compaction, the mineral particles naturally align along the extrusion direction.

This Particle Alignment Results In :

- Anisotropic Shrinkage: Subtle directional shrinkage occurs during firing, resulting in differing shrinkage rates between the transverse and longitudinal axes.This creates a "breathing" dimensional tolerance.
- Extrusion Marks:The surface retains faint, parallel extrusion lines—a unique "fingerprint" that mechanical pressing cannot replicate.
- Natural Density Gradients:The granule size distribution in wet-extruded clay is relatively broad, creating an inherent density gradient within the tile body.

The following "imperfections" are inherent to the wet extrusion process and are accepted as authentic craft features:

- Dimensional Tolerance (±1.5mm): Resulting from wet-cutting variances and uneven firing shrinkage.This is a hallmark of Grade A tiles.
- Slightly Rounded Edges: Caused by die wear and the natural leveling of wet clay, reflecting true handcrafted character.
- Pinholes / Minor Pits: Resulting from the burnout of trace organic matter in the clay body. This is a certified feature of our "Fired Expression" standard.
- Kiln Color Variation: Caused by fluctuations in the reduction firing atmosphere, serving as a premium value point for high-end artisanal tiles.

Dimensional Disclaimer :

This product is a non-standard, handcrafted tile. Natural variations of 1-2mm in width, length, and thickness are to be expected. These are not quality defects; rather, they are the hallmark of the "breathing" handcrafted aesthetic. If strict uniformity is required, please opt for industrial porcelain tiles.

Regarding Shade Variation :

Due to the wet extrusion process and kiln transformation, tiles within the same batch will exhibit gradual shade variations ranging from light to dark. Occasional iron spots (small black specks) or minor pits may also be present. In the European market, these characteristics are recognized as the hallmark of "Artisan Grading A."

Installation Guidelines :

Please engage an installer specifically experienced in handcrafted/artisanal tile installation (standard large-format slab experience is not applicable).A 5-8mm open joint is strictly required. Butt-jointing (groutless installation) is prohibited. Use a cementitious grout. For textured/natural surfaces, a professional squeeze-in grouting method is highly recommended.The installer must accommodate slight misalignments during setting.This intentional asymmetry is a core design intent of this collection.

Please ensure you fully understand and appreciate the above characteristics before purchasing and installing this product.

Prouduct Parameters

Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
60x227x12mm	Retracted Glaze	Glossy	Natural Finish	66	50	18

LOLLIPOP SERIES



150x300mm

Color




LP01



LP02



LP03




LP05



LP06



LP07



LP08



LP09




LP10

Prouduct Parameters

						
Size	Technology	Surface	Faces	m²/Pieces	Pieces/Box	Weight/Kg
150x300x9mm	Molded surface high-gloss glass glaze	Glossy	Natural Finish	0.99.9	22	15

COLORED GLAZE SERIES



64x223mm



147x147mm

Color




E238424



E238426



E238428




E238436




E238480




E238403



E238405



E238407



E238417



E238413

Prouduct Parameters

						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
64x223mm	Ink-jet + Positioned Glue Granule	Glossy	22	70.07	48	12
147x147mm	Ink-jet + Positioned Glue Granule	Glossy	9	46.28	42	16.5


LAN SERIES




126x126mm

Color


Glossy




MA03



MA05




MA08




MA09


Matt




MA03M



MA05M



MA08M




MA09M

Prouduct Parameters

						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
126x126mm	Ink-jet + Roller Printing	Glossy/Matt	Natural Finish	62.9	60	20

KASHGAR SERIES 1.0



75x300mm

Color



TM1



TM2



TM3



TM5



TM6



TM8



TM9



KM4



KM6




KM7




150x150mm



KA57



KA58




KH01

Prouduct Parameters


						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
75x300mm	Ink-jet + Kiln Transmutation	Glossy/Matt	Natural Finish	44	44	19
150x150mm	Ink-jet + Kiln Transmutation	Matt	Natural Finish	44	44	18

KASHGAR SERIES 2.0



75x300mm

Color




TM10




TM11



TM13



TM17



TM19




KM99

Prouduct Parameters

						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
75x300mm	Ink-jet + Kiln Transmutation	Glossy/Matt	Natural Finish	44	44	19

KASHGAR SERIES 3.0




80x480mm

Color



KM83



KM85



KM87



KM89



KG69




KG77

Prouduct Parameters

						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
80x480mm	Ink-jet + Kiln Transmutation	Glossy/Matt	Natural Finish	26	26	20.5

CONCORD SERIES 1.0



50x350mm

Color

CC30

CC31

CC32

CC33

CC34

CC35

CC37

CC38

CC39

CC55

CC57

CC59

CC97

CC99

CM96

HM355

HM358

CONCORD SERIES 2.0



130x130mm

Color

CC10

CC11

CC12

CC13

CC14

CC15

CC17

CC18

CC19


Prouduct Parameters

Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
50x350mm	Crystalline Glaze + Kiln Transmutation	Glossy/Matt	Natural Finish	57.14	60	22

Prouduct Parameters

Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
130x130mm	Crystalline Glaze + Kiln Transmutation	Glossy	Natural Finish	60	60	20.5


MALEVICH SERIES



60x180mm

Color


Glossy




M2



M4



M7



M9

Matt



M2-Y



M4-Y



M7-Y




M9-Y

Prouduct Parameters


						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
60x180mm	Kiln Transmutation	Glossy/Matt	Natural Finish	92	92	19.5

JUNGLE SERIES




75x300mm


Color




MJ06



MJ07



MJ08



MJ09




MJH02

Prouduct Parameters


						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
75x300mm	Full-porcelain Matte Skin-feel Glaze	Matt	Natural Finish	44	44	19

ANCIENT SERIES



60x260mm

Color




GU02



GU03



GU05



GU06



GU07




GU08

Proudct Parameters


						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
60x260mm	Porcelain Glaze	Matt	Natural Finish	64	64	20.5

NARATI SERIES




70x280mm

Color



MS728D8



MS728D9




MS728J6

Proudct Parameters


						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
70x280mm	Crackled Glaze Kiln Transmutation	Glossy/Matt	Natural Finish	51	48	18

BETA SERIES



75x300mm


Color



BT1




BT1U



BT3



BT3U



BT4




BT4U




BT5




BT5U



BT6




BT6U




BT7



BT7U



BT8U



BT9




BT9U

Prouduct Parameters

						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
75x300mm	Flat + Raised Surface	Matt	Natural Finish	44	44	15

JIN SERIES



55x235mm

Color



W20



W21



W22



W27



W29

Corner - Accessories



W20-V



W21-V



W22-V



W27-V



W29-V



W20-L



W21-L



W22-L



W27-L




W29-L

Prouduct Parameters

						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
55x235mm	Ink-jet Molded Surface	Matt	Natural Finish	77	70	19
26x26x235mm	Ink-jet Molded Surface	Matt	↘	↘	64 item	↘
50x110x55mm	Ink-jet Molded Surface	Matt	↘	↘	100	↘

FLANGE SERIES




55x235mm


Color



PU20




PU21



PU23



PU25



PU29

Corner - Accessories



PU20-V



PU21-V



PU23-V



PU25-V



PU29-V



PU20-L



PU21-L



PU23-L



PU25-L




PU29-L

Proudct Parameters

						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
55x235mm	Full-body Unglazed	Matt	Natural Finish	77	70	19
26x26x235mm	Full-body Unglazed	Matt	↘	↘	64 item	↘
50x110x55mm	Full-body Unglazed	Matt	↘	↘	100	↘

FLANGE SERIES



50x275mm


Color



PU01




PU02



PU03




PU04



PU05



PU06




PU09

Proudct Parameters


						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
50x275mm	Full-body Unglazed	Matt	Natural Finish	69	69	21

FLANGE SERIES 2.0



50x350mm

Color



PU300



PU301



PU303




PU304



PU305



PU309




PU377

Proudct Parameters

Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
50x350mm	Full-body Unglazed	Matt	Natural Finish	57.14	60	22

PRIME SERIES



50x275mm

Color



SU11



SU22



SU33



SU55




SU66

Proudct Parameters

Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
50x275mm	Full-body + Irregular shape	Matt	Natural Finish	69	54	17

COTTON SERIES




59x222mm

Color




CT01




CT02




CT03




CT05




CT06



CT07



CT08




CT09

Prouduct Parameters

						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
59x222mm	Full-porcelain Full-body Relief	Matt	Natural Finish	72	72	21

NAI SERIES

Customized Version




59x222mm


Color | 版面：4 面




N01




N02



N05



N06




N09

Prouduct Parameters

						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
59x222mm	Full-porcelain Full-body Relief	Matt	Natural Finish	72	72	21

SONG SERIES

Customized Version




35x280mm

Color



S2



S3




S6

Prouduct Parameters

						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
35x280mm	Full-porcelain Full-body	Matt	Natural Finish	102	80	22.5

FLUTE SERIES



20x215mm

Color




FL01



FL02




FL03




FL05




FL06



FL07



FL08




FL09

Prouduct Parameters

						
Size	Technology	Surface	Faces	Paste/m²	Paste/Box	Weight/Kg
20x215mm	Full-porcelain Full-body	Matt	Natural Finish	15.25	11	17

CHALK SERIES



22x260mm


Color



CH01



CH02



CH03



CH04




CH05


Prouduct Parameters

Size	Technology	Surface	Faces	Paste/m²	Paste/Box	Weight/Kg
22x260mm	Full-body	Matt	Natural Finish	13.45	14	22

TIAN SERIES



70x280mm



30x220mm



130x130mm


Color



ET71



ET73



ET76



ET77



ET78




ET79



ET21



ET22



ET23



ET28



ET32



ET33



ET36



ET37

Prouduct Parameters


Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
70x280mm	Kiln Transmutation	Matt	Natural Finish	51	52	19
30x220mm	Kiln Transmutation	Matt	Natural Finish	13.75 Paste	17 Paste	23
130x130mm	Kiln Transmutation	Matt	Natural Finish	59.17	60	19

FAN SERIES




248x248mm

Color




CF11



CF12



CF13



CF16



CF17



CF19



CF21



LS01



LS02

Prouduct Parameters

Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
248x248mm	Precision Engraving Micro Mold	Matt	6	16.25	16	21.5

FAN SERIES



248x248mm

Color



LS03



LS08



LS09




LS18



LS22




RF06



RF09



SN51



SN52

Prouduct Parameters

Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
248x248mm	Precision Engraving Micro Mold	Matt	6	16.25	16	21.5

VINTAGE SERIES



Color

Retro Edition



SN03



SN06



SN08



SN10



SN12



SN13



SN15



SN16




SN17



SN11




Faces : 7




SN55



Faces : 6




SN88



Faces : 6

Fresh Chapter



SN01



SN02



SN04



SN77



Faces : 6


Prouduct Parameters

Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
200x200mm	Ink-jet Printing	Matt	Natural Finish	25	25	20

STAR RIVER SERIES



Color



SN28

Prouduct Parameters

Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
200x200mm	Ink-jet Precision Engraving	Matt	Natural Finish	25	25	20

DAPHINS SERIES



200x200mm


Color



DA23




DA25




DA26



DA27




DA29



DA23-6H
Ink-jet + Precision Engraving + Mold

Faces : 6



DA29-6H
Ink-jet + Precision Engraving + Mold

Faces : 6

Prouduct Parameters


						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
200x200mm	Ink-jet + Mold	Matt	12	25	25	20

GALAXY SERIES




200x200mm

Color



KU03



KU05




KU06



KU03W




KU05W




KU06W



KU07




KU08




KU09



KU07W



KU08W




KU09W

Prouduct Parameters

						
Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
200x200mm	Ink-jet + Mold + Cloud Effect	Matt	Natural Finish	25	25	20

RUBIK'S CUBE SERIES




120x120mm


Color



1201



1202



1203



1204




1205



1206



1207



1208




1209




1210



1211



1212



1213



1215

Prouduct Parameters

Size	Technology	Surface	Faces	Pieces/m²	Pieces/Box	Weight/Kg
120x120mm	High-transparency Glaze	Glossy	Natural Finish	69	69	18

Choose with confidence
MOMO creates spaces with true texture

Email
albert@momoceramic.com

Tel
182 0757 1202

www.momoceramic.com

Add

G02, Middle Zone, China Ceramics Industry Headquarters (CCIH), No. 68 Jihua West Road,
Chancheng District, Foshan



WeChat Official
Account