

A photograph of a light-colored, textured stone tile floor. In the upper right corner, the lower legs and feet of a person wearing blue jeans and dark shoes are visible. A small, green, toy-like car with red wheels is positioned on the floor near the person's feet. The word "Matera" is printed in white, sans-serif font in the center of the image.

Matera

MOMO[®]tile

Matera

Inspired by Matera, an ancient Italian city and UNESCO World Heritage site known as the "City of Stone."

For centuries, its natural rock and architecture have grown together. Shaped by time and nature, they have formed a unique and timeless texture and color palette. The Materia collection captures this raw surface texture and serene beauty, born from the earth and enriched by time.

We have translated the rustic yet premium rhythm of Matera stone into the language of interior design. Each tile carries a story of time and growth, bringing an understated, enduring elegance to modern homes.





Focusing on "purity, nature, and texture," this collection presents a quiet, modern Wabi-Sabi style.

The color palette draws from the classic light beige and grey-brown tones of Matera's rock layers. Over a soft, neutral base, natural mottled textures of varying shades are scattered, like the breathing of time on the surface. The touch is delicate and authentic. Using digital molding technology, we have precisely recreated the granular feel and subtle depth of natural stone. Unobtrusive yet full of life, it easily creates a calm, relaxing, and layered atmosphere, bringing a quiet luxury that connects you with nature.



Matera

Fine Sand / MY61

Faces

10





Wall : MY61 Floor : MY63



Floor : MY61



Floor : MY61





Matera

Rock Brown / MY63

Faces

10





Wall : M2 Floor : MY63/PD15





Floor : MY63/E93



Color



Fine Sand / MY61



Rock Brown / MY63

Application Scenarios



Wall



Floor



Commerical



Home

Prouduct Parameters

Technology	Surface	Size	Faces	m²/Pieces	Pieces/Box	Weight/Kg
Steel Mold + Digital Mold	Matt	600x1200x10mm	10	0.72	2	35

Installation Guidelines

- 1 . Adhesives : Always use professional-grade installation materials for fully vitrified porcelain products.
- 2 . Application : Suitable for both wall and floor applications.
- 3 . Joint Spacing : We highly recommend C2-grade tile adhesive or 325-grade cement. For wall installations, professional tile adhesive is mandatory. A joint spacing of 1.5–2mm must be maintained. Note: Tight-joint (groutless) installation is strictly prohibited, as thermal expansion and contraction can lead to hollowing and detachment.
- 4 . Grouting : Grouting or caulging is required for joint finishing.

Choose with confidence
MOMO creates spaces with true texture

 albertkoor@qq.com

 182 0757 1202

 G02, Middle Zone, China Ceramics Industry
Headquarters (CCIH), No. 68 Jihua West Road,
Chancheng District, Foshan



WeChat Official
Account